

*Airstream*

**1986**

Motorhome  
Product  
Specifications,  
Features &  
Floorplans

# 1986 Airstream

Designed for those who demand

# Motorhomes

performance and luxury.



## Design Excellence...

From the beginning over 50 years ago, Airstream has proven to be the leader in innovative products. Our unique shape with distinctive aluminum exterior has helped Airstream to continue to lead the way in product design and engineering. By not sacrificing aerodynamics or fuel efficiency, durability or value, Airstream has developed the right design. A total design for the future.

## Total Performance...

For Airstream, total performance means superiority in meeting and exceeding a wide variety of functions. Not just one or two. That's why Airstreams have a refined balance of liveability, driving pleasure, economy, long-term value and durability. That's Airstream's "total performance." Anything else is purely compromise.

Our unrelenting engineering commitment to total performance is proven on the test track as well as the highway. With improved fuel economy, handling, acceleration and braking you also get Airstream's tested durability.

## Uncompromising Luxury...

The luxurious interior of an Airstream is as unique as its exterior design. Everything is carefully designed for your comfort. Careful selection of fabrics, carpet and hardwoods create an interior that is outstanding in its taste. When it comes to functional design and liveability, Airstream's years of constant design leadership have resulted in the most careful blend of luxury, comfort and all around engineering performance.



## Drive One...Today!

Take a test drive today in an Airstream Motorhome. As you head down the open road, you'll notice a dramatic difference in ride, a smoother ride created by Airstream's aerodynamic suspension — as though riding on a "stream of air." Only then will you understand why we say that other motorhomes are out of the question. It is the investment that rejects compromise.

# 290 Series Motorhome

## FLOORPLAN

● CENTER BATH — TWIN OR DOUBLE




\*Optional

# 325 Series Motorhome

## FLOORPLAN


● CENTER BATH — TWIN OR DOUBLE



# 345 Series Motorhome

## FLOORPLAN

● CENTER BATH — TWIN OR DOUBLE



# Optional Features

DESCRIPTION	290		325		345	
	A	C	A	C	A	C
<b>Interior Colors</b>						
Mushroom	0	0	0	0	0	0
Leather Pkg w/6 Way Power Passenger Seat (Power Driver Seat — Standard)	N	N	0	0	0	0
Leather Pkg w/6 Way Power Passenger & Driver Seats	0	0	N	N	N	N
<b>Chassis</b>						
California Emission	0	0	0	0	0	0
Michelin Spare	0	0	S	S	S	S
Aluminum Wheels (4) or (6)	0	0	0	0	0	0
Allison Transmission	0	0	0	0	0	0
Auxiliary Automotive Heater	0	0	S	S	S	S
Hydraulic Leveling Jacks	0	0	0	0	S	S
Low Tire Sensors (6) or (9)	0	0	0	0	0	0
6-Way Power Drivers Seat (Fabric)	0	0	S	S	S	S
6-Way Power Passenger Seat (Fabric)	0	0	0	0	0	0
<b>Appliances</b>						
4-Burner Range w/Oven (Delete Pan Storage)	0	0	0	0	0	0
Nutone Food Center	0	0	S	S	S	S
Ice Maker	0	0	0	0	0	0
Vacuum Cleaner (Portable)	0	0	S	S	S	S
Insta-Hot Water Tap	0	0	0	0	S	S
Motorized TV Antenna w/Lift & Cable Hook-Up	0	0	S	S	S	S
Built-In 12V/110V Color TV	0	0	S	S	S	S
6,500 Watt Onan Generator w/Hour Meter	0	0	0	0	0	0

# Optional Features

DESCRIPTION	290		325		345	
	A	C	A	C	A	C
<b>Interior Features</b>						
C.B. Radio w/ Remote Speaker	0	0	S	S	S	S
XR-66 Sony Sound System w/Laser Disc	0	0	0	0	0	0
R.S. Deluxe Lounge w/3 Seat Belts	0	0	S	S	S	S
Lift-Up Table w/2 Cocktail Chairs (No TV)	N	N	0	0	N	N
Entertainment Center w/Ice Maker & Cocktail Chair	N	N	0	0	0	0
Floor Safe	0	0	0	0	S	S
<b>Exterior Features</b>						
Electric Cord Reel	0	0	S	S	S	S
Docking Lights (2 Curbside)	0	0	S	S	S	S
Bumper Guards (Front & Rear)	0	0	S	S	S	S
Remote Spotlight	0	0	S	S	S	S
Driving Lamps	0	0	S	S	S	S
Exterior Chrome Horns	0	0	S	S	S	S
Panoramic Rear Windows	0	0	0	0	0	0
Rear TV Monitor w/ Back-Up Lights	0	0	0	0	S	S
Heated Exterior Mirrors/Remote	0	0	0	0	0	0
C.S. Patio Awning 20' 3½"	0	0	N	N	N	N
Center Support Arm	0	0	S	S	S	S
R.S. Window Awning 20' 3½"	0	0	N	N	N	N
R.S. Window Awning 19' 2½"	N	N	0	0	N	N
R.S. Window Awning 20' 1¼"	N	N	N	N	0	0
R.S. Rear Window Awning 33"	N	N	0	0	0	0
Rear Window Awning 47"	0	0	0	0	0	0
Curbside Rear Window 3'	N	N	0	0	0	0

NOTE: All Standard and Optional features are available at time of printing. Airstream, however, reserves the right to improve and/or modify the product which may change the features and specifications. Check with your Airstream dealer for updated information and availability.

# Standard Features

## Chassis

Chevrolet 198" W.B., 14,500# GVWR (29')	Class I Trailer Hitch w/Wiring
Chevrolet 198" W.B., Henschen Tag, 16,500# GVWR (32')	Slide-Out Battery Box
Chevrolet 204" W.B., Henschen Tag, 16,500# GVWR (34')	Tool Compartment w/Jack & Tools
Full Air Drive Suspension w/Low Air Warning & Supply	Maintenance Free Automotive Battery
60 Gallon Fuel Tank (29')	Deep Cycle Coach Batteries (2)
80 Gallon Fuel Tank (32'; 34')	Auxiliary Automotive Heater w/Seasonal By-Pass (32'; 34')
Michelin Tires	Auxiliary Starter Boost
Michelin Spare (32'; 34')	Mud Flaps (4)
105 Amp Alternator w/Heavy Duty Isolator	Hydraulic Leveling Jacks (34')
Stainless Steel Wheel Simulators	Front Stabilizer Shocks
Vacuum Entrance Step	Undercoating
	Intermittent Wipers

## Driver Compartment

High Back Fabric Driver & Co-Pilot Seats w/Swivel & Reclining Mech.	Cruise Control
6-Way Power Driver's Seat (32'; 34')	CB Radio w/Remote Speaker (32'; 34')
	XR-33 Sony Sound System

## Exterior

Docking Lights (2 C.S.) (32'; 34')	CS Patio Awning w/Ctr. Supp. (32'; 34')
Deluxe Security Door Lock Bumper Guards Front & Rear (32'; 34')	Door Window w/Pull Shade & Screen Door
Polished Aluminum Bumpers	Exterior Slide-Out Lockable Storage Comp.
Remote Spotlight (32'; 34')	48" Luggage Compartment (32'; 34')
Driving Lamps (32'; 34')	45" Luggage Compartment (29' N/A Twin)
Exterior Chrome Horns (32'; 34')	Rear TV Monitor w/High Intensity Back-Up Lights (34')
Awning Rail, Curbside Only	

## Interior

Hardwood Hickory Rooflockers	Mini-Blind,
Hardwood Hickory Cabinetry	Galley/Bath/Bedroom
Wall Pads	Tambour Spice Rack,
R.S. Deluxe Lge. w/Seat Belts (3) (32'; 34')	Hickory Hardwood
R.S. Dinette w/2 Seat Belts (29')	Double Stainless Steel Sink
Dinette Converts to Bed w/2 Seat Belts (32')	Bedsprad(s) w/Pillow Shams
Lift-Up Table w/2 Cocktail Chairs w/Seat Belts (Includes 12V TV) (34')	Innerspring Mattress
Cocktail Chair (1) w/TV Cab. (No TV) (29')	All Wardrobes Lighted & Cedar Lined
Pleated Window Shades	Shower Massage Shower Head
	Brass Lavatory & Shower Fixtures
	Hinged Solid Bath Door w/Mirror

# Standard Features

## Appliances

4-Burner Cook Top w/Large Drawer For Pan Storage	Insta-Hot Water Tap (34')
Convection Microwave Oven	3-Way 1303 Refrigerator
Nutone Food Center (32'; 34')	6 Gal. Water Heater w/Motor
Vacuum Cleaner (32'; 34')	Aid & Electronic Ignition
(2) Rotary 13,500 BTU Air Conditioners w/Heat Strip	Deluxe Monitoring System
7000 Watt Kohler Generator w/Hour Meter	Motorized TV Antenna w/Lift & Cable TV Hook-Up (34'; 32')
30,000 BTU Furnace w/Electronic Ignition (29')	Manual TV Antenna (29')
Dual 20,000 BTU Furnaces w/Electronic Ignition (32'; 34')	TV Jacks (2) w/12V Outlets
	Built-In 12V/110V Color TV (32'; 34')
	LPG Leak Detector

## Electrical

50 Amp Converter	Entrance Step & Aisle
Dual Intensity Lighting	Courtesy Lights
12V Kill Switch	Flood Light
12V Circuit Breakers	GFI Protection, Bath & Exterior
Digital Clock in Bedroom	Outlets
Decorative Clock in Lounge (32'; 34')	Flourescent Lights, Bedroom
Rotary Selector Switch 110V	Brass Table Lamp, Bedroom
	Brass Lamps, Lounge (32'; 34')
	Electric Cord Reel (32'; 34')

## Systems

LPG Tank, 100# (29')	25 Gallon Black Water Holding Tank (29')
LPG Tank, 125# (32'; 34')	Toilet Marine w/Water Saver
80 Gal. Fresh Water Tank w/Drain (34')	Spray & Padded Seat
60 Gal. Fresh Water Tank w/Drain (32'; 29')	Complete Filtered Water System
43 Gal. Grey Water Holding Tank (32'; 34')	Lockable Water Fill
28 Gal. Grey Water Holding Tank (29')	City Water Hook-Up
45 Gal. Black Water Holding Tank (34'; 32')	w/Pressure Regulator
	Sink Spray Head, Galley Sink
	Water Hose Reel (34')

## Miscellaneous

Fire Extinguisher, 5BC	Air Hose w/Proper Fittings
Floor Safe (34')	

# General Specifications

DESCRIPTION	290	325	345
<b>Chassis (Chevrolet)</b>			
Wheel Base			
Drive	198"	198"	204"
Tag	—	238"	244"
GVWR	14,500#	16,500#	16,500#
ASW*	12,300#	14,000#	14,300#
Tag Axle	—	Henschen Dura-Torque	
<b>Engine Type</b>			
Chevrolet 454 C.I.D.	Gasoline Automotive Engine		
<b>Axle</b>			
Ratio	4.56:1		
<b>Capacities</b>			
Water	60 gal.	60 gal.	80 gal.
Hot Water	6 gal.	6 gal.	6 gal.
Grey Water	28 gal.	43 gal.	43 gal.
Black Water	25 gal.	45 gal.	45 gal.
Fuel Tank	60 gal.	80 gal.	80 gal.
LPG Tank	100#	125#	125#
<b>Dimensions</b>			
Length	29'9¾"	32'8"	34'5"
Width	7'11½"	7'11½"	7'11½"
Height Interior	6'6"	6'6"	6'6"
Height Exterior	w/Air 10'6"		
Rear Overhang <sup>1</sup>	116"	120"	133"
<b>Sleeping Area</b>			
Twin Bed	32" x 76"		
Double Bed	54" x 76"		
Convertible Couch	48" x 72"		
Dinette	35" x 72"		

\*Approximate Standard Weight including fuel (w/o water). Add 350# for Diesel, optional equipment may increase weight.  
<sup>1</sup>Rear Axle to Bumper Guard.

# Chassis Specifications

DESCRIPTION	SPECIFICATION
<b>Engine</b>	
Type	Chevrolet P31832 7.4 Liter, 454, 4-bbl. V-8 7.9:1 Compression Ratio
Oil Cooler	Standard Chevrolet
Exhaust System	Dual; Aluminized
Gasoline	Regular
SAE Net H.P.	230 <sup>1</sup> @ 3800 RPM @ 77°F
SAE Net Torque	360 <sup>1</sup> lbs.-ft. @ 2800 RPM @ 77°F
<b>Suspension</b>	
Front	Independent/Positrim — Heavy Duty
Type	Coil Springs with Auxiliary Air Springs
Capacity	5000#
Springs @ ground	2500# ea.
Shock Absorbers	35mm dia.
Stabilizer Bar	1.25" dia.
Rear	Salisbury Axle, Hypoid Drive
Type	Weight Compensating, Self-Leveling Air Spring
Drive Axle Capacity	10,000#
Drive Axle Ratio	4.56:1
Stabilizer Bar	1.75" dia.
<b>Brakes</b>	
Type	Hydraulic, Self-adjusting
Front	Internally-vented Disc; 14.25" Rotor
Rear Drive	Internally-vented Disc; 13.75" Rotor
Rear Tag	Electric - 12" x 2"
<b>Electrical</b>	
Type	12 Volt; Negative ground
Battery —	
Freedom Type	515 CCA <sup>2</sup> @ 0°F
Reserve Capacity	115 min. @ 80°F
Delcotron Generator	100 amps
<b>Frame</b>	
Type	Carbon Steel; 36-39,000 psi Channel Frame Rail
<b>Steering</b>	
Type	Integral Power
Steering Ratio	14:1/3.4 turns, lock to lock
Steering Wheel	Leather padded, 6 position comfortilt
<b>Transmission</b>	
Type	3 Speed Automatic
Oil Cooler	Standard; Integral w/radiator
<b>Tires</b>	
Type	Tubeless, Steel-Belted Radial
Front	8-19.5 (8-ply rating)
Rear	8-19.5 (8-ply rating) Dual
Spare	(1) 8-19.5 (8-ply rating)
<b>Wheels</b>	
Type	19.5" x 6.0"

<sup>1</sup>ex. California

<sup>2</sup>CCA — Cold Cranking Amps

*Airstream*

Airstream, Inc. • Jackson Center, Ohio 45334  
Ph: (513) 596-6111